

REAL ALUMINIUM

YOUR COMPLETE ALUMINIUM WINDOW AND DOOR RANGE











LOW MAINTENANCE

Aluminium is easy to keep looking great and is virtually maintenance free. Modern powdercoating delivers a hard-wearing finish which will last for years.

With occasional cleaning and periodic lubrication of locks and hinges, aluminium windows and doors will look and operate 'asnew' for longer. With no requirement for repainting or re-varnishing, aluminium windows and doors will never fade, deteriorate or rust, even in harsh environments, or coastal locations.

SLIM SIGHTLINES

When choosing windows, doors or lantern roofs for your home, you will want to choose products which are going to look their absolute best, both when installed and for many years to come. Slim window frames are a must to maximise the amount of natural light entering your home, especially in smaller openings or where Georgian bars are fitted.

Compared to a typical PVCu window, the REAL Aluminium window frames are up to 50% slimmer, allowing the maximum amount of natural light into your home whilst giving a finer ultra-slim appearance.



Peace of Mind

With a life-span measured in decades rather than years, together with extremely low maintenance requirements, aluminium has become the perfect choice for home owners.

As a guarantee for the superior powder-coated finish of **REAL** Aluminium, all products from the range come with superior paint guarantees against peeling, blistering, corrosion, fading and loss of sheen.

WHY **ALUMINIUM**

Whatever the style of your home, be it traditional or modern, the REAL Aluminium range offers distinctive styles and designs to suit. REAL products are manufactured in the UK to current UK building standards.

Renowned for its perfect combination of light weight and high strength, aluminium is the ideal material for both sliding and bi-fold

doors, providing slim, elegant designs and outstanding performance.

All our systems are designed with performance, looks and efficiency in mind, with each frame incorporating a 'thermalbreak' to insulate doors against heat loss, raise the internal temperature of your home and help reduce the risk of condensation.















ALITHERM 400

SYSTEMS

Alitherm systems provide a range of high-quality window solutions for side-hung, top-hung open out casement and Tilt and Turn windows.

Everything we do is bespoke. We can manufacture your window in a configuration that works for your home. This can include a combination of different openers and fixed frames, or a combination of both with our hybrid window.

Don't overlook our Heritage range, featured on pages 20-21!





ALITHERM 400 MAX SIZES

Side Hung Max Sash o/a width	864mm
Side Hung Max Sash o/a height	1400mm
Top Hung Max Sash o/a width	1400mm
Top Hung Max Sash o/a height	1500mm



ALITHERM 400

RANGES

Our Alitherm ranges combine elegance with outstanding performance and feature products that can achieve an 'A' Window Energy Rating.

Our ranges include:

400i - now even slimmer!

The popular Alitherm 400i range is an internally beaded system with dummy sashes which can achieve PAS24 security standards.

400x

Our Alitherm 400x range is an externally beaded system, which can be upgraded to PAS24 security standards with the introduction of glass security clips.

400 Hybrid

The Alitherm 400 Hybrid combines internally glazed sashes with externally glazed fixed frames to provide a seamless and slimline appearance.

Customise your Alitherm

Unlimited colour choice provided by any RAL colour on top of the 4 standard colours. Why not make a design statement with your colour choice?



Special Colours

Other colours are available, including any RAL colour and even textured options.





TILT AND TURN

Bringing together exceptional value and quality alongside top-tier performance and security, the latest addition to the Real Aluminium window and door range is the Alitherm 400 Tilt and Turn window.

This innovative variant complements the existing fixed, side-hung, and top-hung casements in the Alitherm 400 range. With its contemporary design, the Tilt and Turn unit offers the flexibility of tilting the window for ventilation or fully opening it into the room to 90 degrees. Ideal for illuminating spaces with natural light and fresh air, and for simplified cleaning tasks.

Furthermore, the system undergoes rigorous testing to meet current building regulations, surpassing requirements for weather resistance and security performance.



Max o/a height

2100mm

ALITHERM 400 WINDOWS

FLUSH SASH

Real Aluminium offers Flush Sash Casement windows with various opening solutions, providing slimmer slightlines compared to PVCu alternatives.



Equipped with high security features as standard, each opening window is equipped with a lock featuring enclosing The high-performance Alitherm system presents multiple options including side-hung and top-hung casements.

These flush sash casement windows are suitable for a wide array of applications, spanning residential and light commercial new-build and refurbishment projects.



1400mm

1500mm

Top Hung Max

Sash o/a width

Top Hung Max

Sash o/a height

SHOULD I CHOOSE A

BI-FOLD OR SLIDING DOORS?

By choosing our sliding and bi-folding doors, you will open your home to the outdoors.

Effectively opening-up an entire wall, you will not only create a relaxed feeling of light and space, but also frame the beautiful views of your garden and beyond. Suitable for installation in any room, these elegant systems add a touch of finesse and provide a striking glass façade.

Our range has been developed to provide a choice of high quality solutions. Whether you want to open up space using multi-panelled bi-folding doors (which concertina back to one or both sides of the frame), or sliding doors (comprising two or more large panels which slide open to leave the panels behind each other), we have the perfect solution.

With high-security glazing and locking mechanism (including security deadlock and hook bolts), and an unrivalled colour range to choose from (including dual-colour options), each door can be tailored to meet your own precise requirements.





FULLY CUSTOMISABLE

Your home, your doors - with all the little details, just as you want them.

Specify your preferred system, overall size, number of doors, configuration, internal and external colour, your preferred threshold option, whether you want the doors to open in or out, handle style and colour.

Which system will be the best for you?



SLIDING DOORS

If you're looking for the largest uninterrupted expanse of glass, then sliding doors are the right choice.

Seen as a more traditional option than bi-folding doors, they open and close in line, rather than encroaching on the room, and feature slim profiles with narrow frame widths.



BI-FOLDING DOORS

For maximum opening and requiring the minimum space, bi-folding doors are the perfect choice, offering a wide range of design and configuration options.

With slim lines and discrete hardware to maximise light, bi-folding doors also offer a great solution for smaller spaces (two metres or less). They can incorporate a 'traditional' door, which can be used as a conventional back door.



OUTSIDE INSIDE

The doors allow a flow of natural light to stream in, helping provide a new transitional way of living and changing the way you interact with your outside world.




VARIOUS CONFIGURATIONS

Your door can be specified from one through to seven door panels.

Bi-folding doors feature multiple door panels which concertina to one or to both sides of the frame and sliding doors open and close in line, with the large door panels stacked one behind the other.









THERMAL PERFORMANCE

All Visofold profiles
feature a thermal break to
deliver enhanced thermal
performance and energy
efficiency. Security is assured
by multipoint locking
mechanisms on the main
opening panel and shootbolt
locks on the 'floating' mullions.
The doors can have either a
low threshold for unimpeded
access and water resistance,
or a rebated threshold for
improved weather resistance.



VISOFOLD BI-FOLDING DOOR

Colour Options...

We have 4 standard colour options, black, white and grey.

Standard Colour Options:



Other colours are available, including any RAL colour and even textured options.

Visofold 1000 Slim

The Visofold 1000 Slim features slimmer sightlines than its predecessor. The Visofold 1000 slim frames have been reduced by 10mm to 122mm, to make the glazing area even larger, an important consideration for projects both large and small.

Our Visofold profile available in a square edge option and is fabricated using mitred corners.

Our bi-folding doors also come with 3* cylinders as standard the highest grade of lock available.

FLUSH FITTING TRICKLE VENT

Fresher, cleaner indoor air

The bi-fold flush fitting trickle vent is a modern, and stylish ABS ventilator with a simple vent adjustment to manage airflow into the property and has been specifically designed to fit into bi-folding doors.

It is fitted into the bi-fold for a discreet appearance complementing the overall finish of the product.




VISOFOLD BI-FOLDING DOORS


CONFIGURATIONS


Visofold doors can be folded internally or externally and with the opening at the side (so the leaves all fold one way), at one end (to create a single entrance door) or in the middle (to give the option of a double door).





THE NEW























BI-FOLD DOOR MAX SIZES

Widths	1.5m	1.8m	2.3m	2.5m	3.0m	3.3m	3.6m	3.7m	3.9m	4.3m	4.9m	5.0m	5.4m	5.8m	6.0m	6.6m	7.3m	7.5m	7.8m	8.5m
2 Door																				
3 Door																				
4 Door																				
5 Door																				
6 Door																				
7 Door																				

Narrow Opening

Magnetic Catch

Accessory Options:

Locking Pop Up

Handle

Lever Straight

Handle


D Handle

VISOGLIDE PLUS

SLIDING PATIO DOORS

Create a feeling of light and space using an expanse of uninterrupted glass with the REAL Aluminium Sliding Patio Doors.







VISOGLIDE PLUS

SLIDING PATIO DOORS

The design of the REAL Aluminium Sliding Patio Doors make them ideal for large-span areas and situations where bi-folding doors may take up too much floor space. A Sliding Patio Door will offer you the largest uninterrupted glass area and once open doesn't take up room on a patio or balcony, or inside the home.


REAL Sliding Patio Doors deliver optimum performance. Tested to the highest industry standards. Our aluminium Sliding Patio Doors easily glide with guaranteed reliability.


Employing advanced glass technology and superior insulation, REAL Sliding Patio Doors provide thermal efficiency, beautifully flooding your space with light while allowing you to enjoy the views.


SLIDING DOORS

CONFIGURATIONS

Offered in configurations of two, three, four, or six panels, our patio doors are equipped with either double-glazed or triple-glazed glass. They feature double-track or triple-track systems, incorporating specialised sliding mechanisms that ensure effortless opening and closing of even the largest sashes.












3 PANEL





6 PANEL





Colour Options...

SLIDING DOOR MAX SIZES

Max o/a height

Max Sash weight

per sash

We have 4 standard colour options, black, white and grey.

Standard Colour Options:







Sliding Door D Handle



ALITHERM DOOR MAX SIZES

2400mm

1100mm

Max o/a height

per sash Max o/a width

per sash

DOORS

Suitable for both residential and commercial applications, our aluminium same ease of operation. With unrivalled thermal performance and security assurance, our doors are available as open-in or open-out, single or

Tap in bead is standard on internally

ALUMINIUM

FRENCH DOORS


These stylish yet extremely practical doors create the optimum flow from your home to the garden without the need for a large aperture. Glass panels either side of your REAL Aluminium French Doors delivers copious amounts of light flooding into your home.

REAL Aluminium French Doors or double doors boast extra security with multipoint locking handles.

An optional low threshold is great for doors which are used regularly and creates a flush appearance due to its minimal step over.







Lever Straight Handle



ALUMINIUM

RESIDENTIAL

doors perfectly complement our window range, offering the same stylish lines and double doors.

glazed doors with 28mm double glazing.



INTRODUCING

HERITAGE

The Alitherm Heritage range was designed to meet the requirements of refurbishment and renewal projects, particularly in sensitive planning areas. Ideal for Victorian and Art Deco projects, the range of commercial and residential windows and balcony doors are already proven in a wide range of renovation, refurbishment and heritage projects across the UK.

Providing a modern, like-for-like replacement for traditional materials, Alitherm Heritage is the ideal solution for projects where planning or design demands dictate the installation of sympathetic materials - even for listed buildings.

The Alitherm Heritage door and window ranges both feature the slim profiles and sight lines that are associated with traditional steel doors and windows. However, the system's timeless elegance is also accompanied by the outstanding thermal performance of a modern aluminium system – each delivering a U value or energy rating that meets the current building regulations.

HERITAGE

DOORS

Suitable for both single and double door application, Alitherm Heritage balcony doors are available in a wide range of sizes and are supplied with a traditional single point lock mechanism as well as face-mounted finger thrown locking bolts.

Both the window and door systems deliver a U value or energy rating that meets current building regulations, when installed with a suitable double glazed unit, and are available in either single or dual polyester powder coated finishes.

Customise your Heritage

Choose from a variety of colour options to truly personalise your home to your taste.

Square Profile Colour Options:



Other colours are available, including any RAL colour and even textured options.



WINDOW MAX SIZES

Side Hung Max Sash o/a width	600mm
Side Hung Max Sash o/a height	1400mm
Top Hung Max Sash o/a width	1400mm
Top Hung Max Sash o/a height	1400mm



Max o/a height per sash	2100mm
Max o/a width per sash	900mm

HERITAGE


WINDOWS

Featuring slim, thermally-broken profiles, Alitherm Heritage windows are available in a number of formats, including fixed-panel, sash, top-hung and side-hung casements. These different options may be installed in a combination of horizontal modules, which are stacked using our coupling options to form a multi-part window.

Accessory Options:



Handle





Monkey Tail Window Handle

ALUMINIUM DESIGNER DOORS

Safety and security were central to each design decision in the development of the new Designer Door range, with each door meeting the requirements of PAS24.

Our extensive Designer Door collection features an impressive array of designs and styles, from the cutting edge of minimalist chic in our Modern range to the timeless elegance of our Traditional, Cottage and Vintage portfolios. We have also put together a wide range of colour, glazing and hardware options to provide those all-important finishing touches for your new door.

Select the perfect colour combination for the inside and outside of your Designer Door, with options ranging from traditional white to pastel shades of blue and from greys and blacks through to vibrant reds and greens. With this huge selection, you can choose to match an existing colour, or to make a real design statement with a striking contrast.

Guaranteed Performance

- Elegant aluminium profiles provide strength and durability
- All glazing units are 60mm triple glazed and laminated for added protection and comfort
- The integrated weather bar and centre gaskets provide excellent weather protection
- Our doors require minimal maintenance and deliver outstanding, long-life performance

DESIGNER DOORS



10-point locking for high security



Hardened stainless steel and picking protection pins provide tamper-protection



Horizontal key has a cross groove in the core which can only align with the 10-point spring-loaded pin pairs within the lock







AMERSHAM



BROADSTONE



Dogbolts/additional security points on the hinge side



Adjustable hinges and lock



Successfully tested to PAS24 Enhanced Security Performance

ALUMINIUM

SIGNATURE DOORS

Discover our Signature Doors: stylish, secure, and great value for the modern family. With sleek aluminium designs that offer beauty, safety, durability, and low maintenance, our range enhances any home. From contemporary chic to timeless elegance, find the perfect front or back door in our Signature Door collection. Experience the ultimate combination of style and security with our exquisite Signature Doors.







CARNABY



HIGH SECURITY

Our doors exceed the requirements of PAS24 testing and come with market leading locking mechanisms



COLOUR MATCHED

Single colour frame and door leaf with colourmatched weather bar.



GLAZING

Glazing comes in clear or satin glass units.



HARLEY



LANSDOWN



MILLBROOK





WOODCHESTER



ABBEY



DETAILS

FINISHING TOUCHES

REAL Aluminium doors that have more than one lock will only require one key to operate all of them (this is called 'keyed alike'). Separate doors will have unique keys unless specified. Alitherm 400 doors have a high-security key system (3 Star System) as standard. With our standard high-security key system (3 Star System), all keys will be unique. For further details, please speak to your REAL Retailer.

OUR GUARANTEES







REAL

ACCREDITATIONS

Choosing the right window or door and the right company to install them can be a daunting experience. You can be rest assured that our products are tested to the latest British Standards and will be installed to comply with the latest UK Building Regulations.

All of our products go through a thorough quality control system that is independently audited twice a year by British Standards. During this process, products are independently tested to BSI Standards for weathering performance and security levels.



Energy-rated windows tested and certified by the British Fenestration Rating Council



BS 4873 Aluminium Window Fabricator BS 4873 / PAS24 Enhanced Security Aluminium Window Fabricator BS 4873 / PAS24 Enhanced Security Aluminium Door Fabricator



Aluminium is infinitely recyclable, and when recycled uses just 5% of the total energy needed to produce frames from scratch.



Building Regulations

To sell your home in the future, you must be able to demonstrate that your windows, doors and roofs satisfy Building Regulations by producing a certificate of compliance either from an approved installer or your Local Authority Building Control Department.

All professionally installed REAL Aluminium windows, doors and lantern roofs comply with Building Regulations requirements for new build, replacement and refurbishment projects.



Technical Document

Legislation

All **REAL** aluminium systems are designed to be technically advanced, both in structure and installation. Which is why, if you need any information regarding any of our systems, you can download the relevant datasheets, technical manuals, technical bulletins, DWG files, specification clauses and 'how-to' guides from our website re-aluminium.co.uk.

Alternatively, simply contact our Customer Service team on 01453 826884, who will be able to help you.


TURN YOUR PROJECT, INTO A REALITY

For more information, or to make your next project a **REAL** project, visit us at **re-aluminium.co.uk**




HANDLES &

ACCESSODIES



ACCE	ESSORIES						
	ence chart below to discov s and accessories for your	•					61
	Lever (straight) handle	F	White	Black	Grey	Graphite	Chrome
	Locking pop up handle	V					
	D handle	n n					
BI-FOLDING DOORS	Magnetic catch						
	Slimline trickle vents						
	Trickle vents				0		
CL IDING	Long lever handle						
SLIDING PATIO DOORS	Sliding Door D handle	<u> </u>					
2001.0	Offset handle	الم					
CASEMENT WINDOWS	Monkey tail handle	ľ					
TILT AND TURN		J P					
WINDOWS		[
ENTRANCE	Lever (straight) handle	_			V		
& FRENCH DOORS	Letterplate (black ABS surround)						
	Letterplate (matching surround)						V
	Lever (Ergonomic) handle	3					
	Lever (Mitre) handle						
	Lever (T Bar) handle						
	Pull Knob						V
	Inline Round Pull Bar						
ALUMINIUM	Flush Escutcheon	O					
COMPOSITE DOORS	Pull Escutcheon	_					•
	Letterplate	4					
	Knocker (Urn)	\bar{\bar{\bar{\bar{\bar{\bar{\bar{					•
	Knocker (Bullring)						
	Knocker (architectural)	ļ					V
	Knocker (Horse Tail)	}					
	Spyhole						\checkmark





Monkey Tail Handle

Lever Straight Handle





REAL Aluminium

Newton Centre, Brunel Way, Stroudwater Business Park, Stonehouse, GL10 3SW

www.re-aluminium.co.uk

01453 826884

enquiries@real-aluminium.co.uk